



STAR ECONOMY RANGE **Catalogue**

www.eurocastors.co.uk

TEL: 01592 774770
sales@eurocastors.co.uk

Eurocastors has been in business for over 40 years. We have a modern manufacturing and distribution setup. Our aim is to provide a first class service for the markets and products that we provide.

OUR SERVICES:

- Manufacturing
- Distribution
- Castor Engineering
- Special Customer Developments

MARKETS THAT OUR CASTORS ARE USED IN:

- Retail and Shopping
- Hospital and Care Equipment
- Furniture
- Factory Trucks and Trolleys
- Cleaning and Janitorial
- Airports
- Display, Storage and Distribution
- Medical Equipment
- Industry
- Scaffolding
- Factory Equipment
- Catering

DESIGN / TYPES:

- Pressed Steel
- Plastic
- Wheels in Rubber and TPR
- Wheels in Nylon and PP
- Stainless Steel
- Antistatic / Conductive
- Wheels in Polyurethane

FITTINGS:

- Bolthole
- Plate
- Threaded Stem, Expander and Circlip Stem
- Fixed
- Special Requirements

BRAKES:

- Wheel Brake
- Total Brake
- Directional



INDEX

PAGE

TWIN WHEEL / Hooded	3
SUPER ECONOMY / Rubber Tyre	4
SINGLE RACE / Medium Duty / Pressed	5
SINGLE RACE / Medium Duty / Pressed	6
ECONOMY PLUS / Castors / Bolt Hole Unbraked	7
ECONOMY PLUS / Castors / Bolt Hole Braked	8
ECONOMY PLUS / Castors / Plate Swivel Unbraked	9
ECONOMY PLUS / Castors / Plate Swivel Braked	10
ECONOMY PLUS / Forks	11
ECONOMY PLUS / Wheels	12
ECONOMY PLUS / Components	13
ECONOMY APPARATUS / WHEELS	14
HI- TEC ECONOMY / Castors / Bolt Hole Unbraked	15
HI- TEC ECONOMY / Castors / Bolt Hole Braked	16
HI- TEC ECONOMY / Castors / Plate Swivel Unbraked	17
HI- TEC ECONOMY / Castors / Plate Swivel Braked	18
TROLLEY SUPERKING	19
PALLET KING / Castors / Blue Elastic	20
PALLET KING / Castors / Red Polyurethane tyre	21
PALLET KING/ Castors / 100mm nylon	22
PALLET KING/ Castors / 125mm nylon	23
PALLET KING / Forks	24
PALLET KING / Wheels	25
PALLET KING / Components	26
ECONOMY RUBBER / Wheels	27
PRESS WELD / Castors / Plate Swivel	28
PRESS WELD / Castors / Fixed	29
PRESS WELD / Castors / Braked	30
PRESS WELD / Forks	31
PRESS WELD / Wheels	32
SCAFFOLD CASTORS	33
EXPANDERS	34



TWIN WHEEL / HOODED / COMPONENTS

Nylon Body / Steel Parts Zinc Plated

Good Mobility

Unbraked Swivel Castor

	Code	Diameter		Weight Capacity
	BP0038	40mm	Body Only	30kg
	BP0040	50mm	Body Only	50kg

Braked Swivel Castor

	Code	Diameter		
	BP0039	40mm	Body Only	30kg
	BP0041	50mm	Body Only	50kg

Top Plate

	Code	Diameter		
	BP0015	38x38	Top Plate Only	

M8x15 stem

	Code	Diameter		
	BP0024	M8x15	Stem Only	

SUPER ECONOMY / Rubber

M10 Bolt Hole / Grey Rubber Tyre / Unbraked / Plain Bearing / Steel Threadguards

	Code	Diameter	Height	Capacity
	SP0043	50mm	70mm	27kg
	SP0045	75mm	101mm	45kg
	SP0047	100mm	132mm	55kg
	SP0049	120mm	155mm	60kg

M10 Bolt Hole / Rubber Tyre / Braked / Plain Bearing

	Type	Code	Diameter	Height	Capacity
	Foot Brake	SP0044	50mm	70mm	27kg
	Foot Brake	SP0046	75mm	101mm	45kg
	Total Brake	SP0048	100mm	132mm	55kg
	Total Brake	SP0050	120mm	155mm	60kg

Plate Swivel / Rubber Tyre / Unbraked / Plain Bearing

	Plate Size	Code	Diameter	Height	Capacity
	50x50 36x36 M6	SP0051	50mm	70mm	27kg
	65x65 49x49 M6	SP0053	75mm	101mm	45kg
	76x76 57x57 M8	SP0055	100mm	132mm	55kg
	76x76 57x57 M8	SP0057	120mm	155mm	60kg

Plate Swivel / Rubber Tyre / Braked / Plain Bearing

	Plate Size	Code	Diameter	Height	Capacity
	50x50 36x36 M6	SP0052	50mm	70mm	27kg
	65x65 49x49 M6	SP0054	75mm	101mm	45kg
	76x76 57x57 M8	SP0056	100mm	132mm	55kg
	76x76 57x57 M8	SP0058	120mm	155mm	60kg

SINGLE RACE / MEDIUM DUTY / PRESSED STEEL / NYLON WHEEL

Plate Swivel



Code	Diameter	Height	Capacity
SP0033	50mm	64mm	40kg
Plate Swivel 49x67mm			
Hole Centres 25x55mm			

Fixed



Code	Diameter	Height	Capacity
SP0034	50mm	64mm	40kg
Plate Swivel 38x68mm			
Hole Centres 23x54mm			

SINGLE RACE / MEDIUM DUTY / PRESSED STEEL / BLUE POLYURETHANE WHEEL

Plate Swivel



Code	Diameter	Height	Capacity
SP0078	50mm	64mm	40kg
Plate Swivel 49x67mm			
Hole Centres 25x55mm			

Fixed



Code	Diameter	Height	Capacity
SP0079	50mm	64mm	40kg
Plate Swivel 38x68mm			
Hole Centres 23x54mm			

SINGLE RACE / MEDIUM DUTY / PRESSED STEEL / NYLON WHEEL

Plate Swivel



Code	Diameter	Height	Capacity
SP0077	65mm	84mm	80kg
SP0082	75mm	98mm	85kg
SP0084	100mm	128mm	100kg

Fixed



Code	Diameter	Height	Capacity
SP0081	65mm	84mm	80kg
SP0083	75mm	98mm	85kg
SP0085	100mm	128mm	100kg

Plate Swivel Braked



Code	Diameter	Height	Capacity
SP0147	75mm	98mm	85kg
SP0198	100mm	128mm	100kg
Wheel Brake			

	Size	65mm	75mm	100mm
Information	Plate Size	95×70	105×80	125×100
	Hole Centres	76×44.5	83×60	102×78

ECONOMY PLUS RANGE / CASTORS

M12 Bolt Hole Unbraked (Use SP0107 To Reduce M12 to M10)

Plain Bearing / Grey Rubber Tyre / Grey PP Hub



Code	Diameter	Height	Capacity
SP0215	100mm	132mm	80kg
SP0219	125mm	159mm	100kg

Plain Bearing / White Nylon



Code	Diameter	Height	Capacity
SP0204	100mm	132mm	80kg
SP0221	125mm	159mm	100kg

Ball Bearing / Grey Polyurethane / Grey Nylon Hub / Full Threadguard



Code	Diameter	Height	Capacity
SP0217	100mm	132mm	80kg
SP0223	125mm	159mm	100kg

ECONOMY PLUS RANGE / CASTORS

M12 Bolt Hole Braked (Use SP0107 To Reduce M12 to M10)

Plain Bearing / Grey Rubber Tyre / Grey PP Hub



Code	Diameter	Height	Capacity
SP0216	100mm	132mm	80kg
SP0220	125mm	159mm	100kg

Plain Bearing / White Nylon



Code	Diameter	Height	Capacity
SP0205	100mm	132mm	80kg
SP0222	125mm	159mm	100kg

Ball Bearing / Grey Polyurethane / Grey Nylon Hub / Full Threadguard



Code	Diameter	Height	Capacity
SP0218	100mm	132mm	80kg
SP0224	125mm	159mm	100kg

ECONOMY PLUS RANGE / CASTORS

Plate Swivel Unbraked

Top Plate	100x80
Hole Centres	75x50

Plain Bearing / Grey Rubber Tyre / Grey PP Hub




Code	Diameter	Height	Capacity
SP0227	100mm	132mm	80kg
SP0233	125mm	159mm	100kg

Plain Bearing / White Nylon



Code	Diameter	Height	Capacity
SP0225	100mm	132mm	80kg
SP0231	125mm	159mm	100kg

Ball Bearing / Grey Polyurethane / Grey Nylon Hub / Full Threadguard



Code	Diameter	Height	Capacity
SP0229	100mm	132mm	80kg
SP0235	125mm	159mm	100kg

ECONOMY PLUS RANGE / CASTORS

Plate Swivel Braked

Top Plate	100x80
Hole Centres	75x50

Plain Bearing / Rubber Tyre



Code	Diameter	Height	Capacity
SP0228	100mm	132mm	80kg
SP0234	125mm	159mm	100kg

Plain Bearing / Nylon Tyre



Code	Diameter	Height	Capacity
SP0226	100mm	132mm	80kg
SP0232	125mm	159mm	100kg

Ball Bearing / Grey Polyurethane / Grey Nylon Hub / Full Threadguard



Code	Diameter	Height	Capacity
SP0230	100mm	132mm	80kg
SP0236	125mm	159mm	100kg

ECONOMY PLUS RANGE / FORKS**M12 Bolt Hole Unbraked (Use SP0107 Reducer for M10 Bolt Hole)**

	Code	Diameter	Height	Capacity
	SP0091	100mm	132mm	80kg
	SP0099	125mm	159mm	100kg

Bolt Hole Braked (Use SP0107 Reducer for M10 Bolt Hole)

	Code	Diameter	Height	Capacity
	SP0092	100mm	132mm	80kg
	SP0100	125mm	159mm	100kg

Plate Swivel Unbraked

Top Plate	100x80
Hole Centres	75x50

	Code	Diameter	Height	Capacity
	SP0093	100mm	132mm	80kg
	SP0101	125mm	159mm	100kg

Plate Swivel Braked

Top Plate	100x80
Hole Centres	75x50

	Code	Diameter	Height	Capacity
	SP0094	100mm	132mm	80kg
	SP0102	125mm	159mm	100kg

ECONOMY PLUS RANGE / WHEELS

Plain Bearing / Grey Rubber Tyre / Grey PP Hub

	Code	Diameter	Capacity
	SP0095	100mm	80kg
	SP0103	125mm	100kg
	Hub Width 35.5mm / Bore 12.3mm / Tread Width 30mm		
	Use SP0159 Wheel Bush		

Plain Bearing / White Nylon

	Code	Diameter	Capacity
	SP0096	100mm	80kg
	SP0104	125mm	100kg
	Hub Width 35.5mm / Bore 12.3mm / Tread Width 32mm		
	Use SP0159 Wheel Bush		

Ball Bearing / Grey Polyurethane / Grey Nylon Hub / Full Threadguard

	Code	Diameter	Capacity
	SP0098	100mm	80kg
	SP0106	125mm	100kg
	Hub Width 36.4mm / Bore M8 / Tread Width 31mm		

ECONOMY PLUS RANGE / COMPONENTS

Wheel Bush / Steel / Zinc Plated

				
	Code	Diameter	Bore	Length
	SP0159	12mm	M8	36mm

M12 to M10 Reducer / Steel / Zinc Plated

		
	Code	SP0107
	To reduce M12 bolt hole to M10	

ECONOMY APPARATUS RANGE / WHEELS

Plain Bearing / Grey TPR Tyre / Black PP Hub / Full Face Threadguards

	Code	Diameter	Capacity
	SAW043	100mm	90kg
	SAW044	125mm	100kg
	Hub Width 36mm / M8 / Plastic Bush		
	Tyre Width 28mm / Bore with No Bush is 13.5mm		

Ball Bearing / Grey TPR Tyre / Black PP Hub / Small Threadguards

	Code	Diameter	Capacity
	SAW039	100mm	90kg
	SAW038	125mm	100kg
	Hub Width 36mm / M8		
	Tyre Width 28mm		

HI-TEC ECONOMY RANGE / CASTORS

M10 Bolt Hole Unbraked / Durable Reinforced Grey Nylon Body

Plain Bearing / Grey TPR Tyre / Black PP Hub / Full Face Threadguard / Plastic Bush



Code	Diameter	Height	Capacity
CA0209	100mm	132mm	90kg
CA0213	125mm	158mm	100kg

Ball Bearing / Grey TPR Tyre / Black PP Hub / Small Threadguard



Code	Diameter	Height	Capacity
CA0140	100mm	132mm	90kg
CA0144	125mm	158mm	100kg

Ball Bearing / Polyurethane Tyre / Full Threadguard



Code	Diameter	Height	Capacity
CA0217	100mm	132mm	90kg
CA0221	125mm	158mm	100kg

HI-TEC ECONOMY RANGE / CASTORS

M10 Bolt Hole Braked / Total Lock Brake / Stainless Steel Brake Spring / Plastic Pedal

Plain Bearing / Grey TPR Tyre / Black PP Hub / Full Face Threadguard / Plastic Bush



Code	Diameter	Height	Capacity
CA0210	100mm	132mm	90kg
CA0214	125mm	158mm	100kg

Ball Bearing / Grey TPR Tyre / Black PP Hub / Small Threadguard



Code	Diameter	Height	Capacity
CA0141	100mm	132mm	90kg
CA0145	125mm	158mm	100kg

Ball Bearing / Polyurethane Tyre / Full Threadguard



Code	Diameter	Height	Capacity
CA0218	100mm	132mm	90kg
CA0222	125mm	158mm	100kg

HI-TEC ECONOMY RANGE / CASTORS

Plate Swivel Unbraked

Durable Reinforced Grey Nylon Body

Top Plate	
Outside	90x70mm
Hole Centres	75x45mm
Slotted	61.5x51.5mm

Plain Bearing / Grey TPR Tyre / Black PP Hub / Full Face Threadguard / Plastic Bush



Code	Diameter	Height	Capacity
CA0211	100mm	132mm	90kg
CA0215	125mm	158mm	100kg

Ball Bearing / Grey TPR Tyre / Black PP Hub / Small Threadguard



Code	Diameter	Height	Capacity
CA0142	100mm	132mm	90kg
CA0146	125mm	158mm	100kg

Ball Bearing / Polyurethane Tyre / Full Threadguard



Code	Diameter	Height	Capacity
CA0219	100mm	132mm	90kg
CA0223	125mm	158mm	100kg

HI-TEC ECONOMY RANGE / CASTORS

Plate Swivel Braked

Total Lock Brake / Stainless Steel Brake

Spring / Plastic Pedal

Top Plate	
Outside	90x70mm
Hole Centres	75x45mm
Slotted	61.5x51.5mm

Plain Bearing / Grey TPR Tyre / Black PP Hub / Full Face Threadguard / Plastic Bush



Code	Diameter	Height	Capacity
CA0212	100mm	132mm	90kg
CA0216	125mm	158mm	100kg

Ball Bearing / Grey TPR Tyre / Black PP Hub / Small Threadguard



Code	Diameter	Height	Capacity
CA0143	100mm	132mm	90kg
CA0147	125mm	158mm	100kg

Ball Bearing / Polyurethane Tyre / Full Threadguard



Code	Diameter	Height	Capacity
CA0220	100mm	132mm	90kg
CA0224	125mm	158mm	100kg

TROLLEY SUPERKING



21st century

technology

Bolt Hole Castors

- High impact engineered plastics
- Precision bearing in raceway
- Modern 21st century appearance
- Silent Running
- Absorbs Shock
- No rust / maintenance free
- M10 fixing bolt included (glue patch)
- Quality TPR Tyre
- Ball Bearing
- Threadguards



Unbraked



Braked

Unbraked

Code	Diameter	Height	Capacity
CA0229	100mm	140mm	80kg
CA0231	125mm	162mm	100kg

Braked

Code	Diameter	Height	Capacity
CA0230	100mm	140mm	80kg
CA0232	125mm	162mm	100kg

Top Plate Castors

Unbraked

Code	Diameter	Height	Capacity
CA0233	100mm	140mm	80kg
CA0235	125mm	162mm	100kg

Braked

Code	Diameter	Height	Capacity
CA0234	100mm	140mm	80kg
CA0236	125mm	162mm	100kg

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

SOFT RESILIENT BLUE ELASTIC RUBBER

Bolt Hole




Code	Diameter	Bolt Hole	Bearing	Height	Capacity
CA0392	80mm	M12	Roller	105mm	100kg
CA0085	100mm	M12	Roller	128mm	160kg
CA0373	125mm	M12	Roller	155mm	200kg
CA0400	160mm	M12	Roller	189mm	880kg

Bolt Hole Braked



Code	Diameter	Bolt Hole	Bearing	Height	Capacity
CA0393	80mm	M12	Roller	105mm	100kg
CA0092	100mm	M12	Roller	128mm	160kg
CA0374	125mm	M12	Roller	155mm	200kg
CA0401	160mm	M12	Roller	189mm	220kg

Top Plate



Code	Diameter	Plate	Hole Centres	Bearing	Height	Capacity
CA0394	80mm	105x80	80x60	Roller	105mm	100kg
CA0086	100mm	105x80	80x60	Roller	128mm	160kg
CA0375	125mm	105x80	80x60	Roller	155mm	200kg
CA0402	160mm	105x80	80x60	Roller	189mm	220kg

Top Plate Braked



Code	Diameter	Plate	Hole Centres	Bearing	Height	Capacity
CA0395	80mm	105x80	80x60	Roller	105mm	100kg
CA0370	100mm	105x80	80x60	Roller	128mm	160kg
CA0376	125mm	105x80	80x60	Roller	155mm	200kg
CA0403	160mm	105x80	80x60	Roller	189mm	220kg

Fixed castors available on request

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

GREY NYLON HUB /RED POLYURETHANE TYRE

Bolt Hole



Code	Diameter	Bolt Hole	Bearing	Height	Capacity
CA0396	80mm	M12	Roller	105mm	100kg
CA0377	100mm	M12	Roller	128mm	150kg
CA0381	125mm	M12	Roller	155mm	200kg
CA0404	160mm	M12	Roller	189mm	220kg

Bolt Hole Braked



Code	Diameter	Bolt Hole	Bearing	Height	Capacity
CA0397	80mm	M12	Roller	105mm	100kg
CA0378	100mm	M12	Roller	128mm	150kg
CA0382	125mm	M12	Roller	155mm	200kg
CA0405	160mm	M12	Roller	189mm	220kg

Top Plate



Code	Diameter	Plate	Hole Centres	Bearing	Height	Capacity
CA0398	80mm	105x80	80x60	Roller	105mm	100kg
CA0371	100mm	105x80	80x60	Roller	128mm	150kg
CA0379	125mm	105x80	80x60	Roller	155mm	200kg
CA0406	160mm	105x80	80x60	Roller	189mm	220kg

Top Plate Braked



Code	Diameter	Plate	Hole Centres	Bearing	Height	Capacity
CA0399	80mm	105x80	80x60	Roller	105mm	100kg
CA0372	100mm	105x80	80x60	Roller	128mm	150kg
CA0380	125mm	105x80	80x60	Roller	155mm	200kg
CA0407	160mm	105x80	80x60	Roller	189mm	220kg

Fixed castors available on request

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

White Nylon

Bolt Hole



Code	Diameter	Bolt Hole	Bearing	Height	Capacity
CA0016	100mm	M12	Roller	128mm	150kg

Bolt Hole Braked



Code	Diameter	Bolt Hole	Bearing	Height	Capacity
CA0386	100mm	M12	Roller	128mm	150kg

Top Plate



Code	Diameter	Plate	Hole Centres	Bearing	Height	Capacity
CA0017	100mm	105x80	80x60	Roller	128mm	150kg

Top Plate Braked



Code	Diameter	Plate	Hole Centres	Bearing	Height	Capacity
CA0387	100mm	105x80	80x60	Roller	128mm	150kg

Fixed castors available on request

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

White Nylon Wheel With / Without Threadguards

Bolt Hole



Code	Diameter	T/G	Bolt Hole	Bearing	Height	Capacity
CA0268	125mm	No	M12	Roller	155mm	200kg
CA0107	125mm	Yes	M12	Roller	155mm	200kg

Plate Swivel



Code	Diameter	T/G	Plate	Bearing	Height	Capacity
CA0121	125mm	No	105x80	Roller	155mm	200kg
CA0102	125mm	Yes	105x80	Roller	155mm	200kg

Bolt Hole Braked



Code	Diameter	T/G	Bolt Hole	Bearing	Height	Capacity
CA0093	125mm	No	M12	Roller	155mm	200kg
CA0101	125mm	Yes	M12	Roller	155mm	200kg

Plate Swivel Braked



Code	Diameter	T/G	Plate	Bearing	Height	Capacity
CA0272	125mm	No	105x80	Roller	155mm	200kg
CA0195	125mm	Yes	105x80	Roller	155mm	200kg

Fixed castors available on request

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

Forks

Bolt Hole



Code	Bolt Hole	Wheel dia	Capacity
SAF156	M12	80mm	100kg
SAF008	M12	100mm	160kg
SAF107	M12	125mm	200kg
SAF160	M12	160mm	220kg

Top plate

Hole Centres:80x60



Code	Plate	Wheel dia	Capacity
SAF157	105x80	80mm	100kg
SAF019	105x80	100mm	160kg
SAF105	105x80	125mm	200kg
SAF161	105x80	160mm	220kg

Bolthole Braked



Code	Bolthole	Wheel dia	Capacity
SAF158	M12	80mm	100kg
SAF155	M12	100mm	160kg
SAF095	M12	125mm	200kg
SAF162	M12	160mm	220kg

Top Plate Braked

Hole Centres:80x60



Code	Plate	Wheel dia	Capacity
SAF159	105x80	80mm	100kg
SAF154	105x80	100mm	160kg
SAF126	105x80	125mm	200kg
SAF163	105x80	160mm	220kg

Fixed forks available on request

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

Wheels / Wheel Assemblies

White Nylon Wheel / No Threadguards

	Code	Diameter	Bearing	Weight Capacity	Inc.
	SAW017	125mm	Roller	200kg	Wheel
	SWA009	125mm	Roller	200kg	Wheel Assy

White Nylon Wheel

	Code	Diameter	Bearing	Weight Capacity	Inc.
	SWA003	100mm	Roller	150kg	Wheel Assy

Red Polyurethane Tyre / Grey Nylon Hub

	Code	Diameter	Bearing	Weight Capacity	Inc.
	SWA052	80MM	Roller	100kg	Wheel Assy
	SWA042	100mm	Roller	150kg	Wheel Assy
	SWA024	125mm	Roller	200kg	Wheel Assy
	SWA053	160mm	Roller	220kg	Wheel Assy

Elastic Rubber Tyre

	Code	Diameter	Bearing	Weight Capacity	Inc.
	SWA054	80mm	Roller	100kg	Wheel Assy
	SWA028	100mm	Roller	160kg	Wheel Assy
	SWA049	125mm	Roller	200kg	Wheel Assy
	SWA055	160mm	Roller	220kg	Wheel Assy

PALLET KING

Dairy Units-----Roll Pallets-----Mobile Units

Durable Construction

Components

Part	Dimensions	Code
Roller Bearing	15x23x45mm	B0012
Steel Threadguard	-	BM0113
Axle Bolts	M10x70 BZP	F055
Nylock Nut	M10	F048
Wheel Bush	15x50x2.4mm wall	BM0013



ECONOMY RUBBER RANGE / WHEELS

Red Plastic Centre / Roller Bearing



Code	Diameter	Capacity	Hub Width	Bush Length	Bore
SP0063	160mm	120kg	56mm	58mm	1/2"

Steel Centre / Roller Bearing



Code	Diameter	Capacity	Hub Width	Bush Length	Bore
SP0042	200mm	200kg	59mm	60mm	1/2"
Bush Included					
SP0157	200mm	200kg	50mm	No Bush	1"

PRESS WELD RANGE / CASTORS

Press Weld Castors

Top Plate Size	135mm x 110mm
Hole Centres	105mm x 75mm / 80mm
6 mm Steel	
Fabricated Plate and Forks	

Plate Swivel / Plastic Poly Red



Code	Diameter	Height	Capacity
SP0117	100mm	143mm	230kg
SP0118	125mm	165mm	250kg
SP0119	150mm	190mm	275kg
SP0120	200mm	241mm	295kg

Plate Swivel / Cast Iron



Code	Diameter	Height	Capacity
SP0113	100mm	143mm	320kg
SP0114	125mm	165mm	360kg
SP0115	150mm	190mm	380kg
SP0116	200mm	241mm	400kg

Plate Swivel / Cast Iron / Poly



Code	Diameter	Height	Capacity
SP0109	100mm	143mm	320kg
SP0110	125mm	165mm	360kg
SP0111	150mm	190mm	380kg
SP0112	200mm	241mm	400kg

PRESS WELD RANGE / CASTORS


Press Weld Castors

Top Plate Size	135mm x 110mm
Hole Centres	105mm x 75mm / 80mm
6mm Steel	
Fabricated Plate and Forks	


Fixed / Plastic Poly Red

	Code	Diameter	Size	Capacity
	SP0129	100mm	143mm	230kg
	SP0130	125mm	165mm	250kg
	SP0131	150mm	190mm	275kg
	SP0132	200mm	241mm	295kg

Fixed / Cast Iron

	Code	Diameter	Height	Capacity
	SP0125	100mm	143mm	320kg
	SP0126	125mm	165mm	360kg
	SP0127	150mm	190mm	380kg
	SP0128	200mm	241mm	400kg

Fixed / Cast Iron / Poly

	Code	Diameter	Height	Capacity
	SP0121	100mm	143mm	320kg
	SP0122	125mm	165mm	360kg
	SP0123	150mm	190mm	380kg
	SP0124	200mm	241mm	400kg

PRESS WELD RANGE / BRAKED CASTORS

Press Weld Braked


Side Foot Brake



Code	To fit:
SP0029	100mm
SP0030	125mm
SP0031	150mm

Top Plate Size	135mm x 110mm
Hole Centres	105mm x 75mm / 80mm
	6mm Steel
	Fabricated Plate and Forks

Plate Swivel / Plastic Poly Red / Braked



Code	Diameter	Size	Capacity
SP0134	100mm	143mm	230kg
SP0146	125mm	165mm	250kg
SP0135	150mm	190mm	275kg

Plate Swivel / Cast Iron / Poly / Braked



Code	Diameter	Size	Capacity
SP0137	100mm	143mm	320kg
SP0138	125mm	165mm	360kg
SP0139	150mm	190mm	380kg

PRESS WELD RANGE / FORKS

Press Weld Forks

- Fabricated

- 6mm Steel Plate and Forks

Plate Swivel



Code	Diameter	Size	Capacity
SP0007	100mm	4"x2"	320kg
SP0008	125mm	5"x2"	360kg
SP0009	150mm	6"x2"	380kg
SP0010	200mm	8"x2"	400kg

Fixed




Code	Diameter	Size	Capacity
SP0011	100mm	4"x2"	320kg
SP0012	125mm	5"x2"	360kg
SP0013	150mm	6"x2"	380kg
SP0014	200mm	8"x2"	400kg

Information	Top Plate Size	135mm x 110mm
	Hole Centres	105mm x 75mm/80mm

PRESS WELD RANGE / WHEELS

Press Weld Wheels / Including Bearing / Bush / Axle Set

Plastic Poly Red



Code	Diameter	Size	Capacity	Bore
SP0023	100mm	4"x2"	230kg	1/2"
SP0024	125mm	5"x2"	250kg	1/2"
SP0025	150mm	6"x2"	275kg	1/2"
SP0026	200mm	8"x2"	295kg	1/2"

Cast Iron



Code	Diameter	Height	Capacity	Bore
SP0021	100mm	4"x2"	320kg	1/2"
SP0022	125mm	5"x2"	360kg	1/2"
SP0028	150mm	6"x2"	380kg	1/2"
SP0076	200mm	8"x2"	400kg	1/2"

Cast Iron / Poly



Code	Diameter	Height	Capacity	Bore
SP0017	100mm	4"x2"	320kg	1/2"
SP0018	125mm	5"x2"	360kg	1/2"
SP0019	150mm	6"x2"	380kg	1/2"
SP0020	200mm	8"x2"	400kg	1/2"

SCAFFOLD CASTORS

Swivel Castor With Wheel Brake For Use With Standard Scaffolding

Female Fitting



Code	Diameter	Height	Capacity
SP0075	200mm	245mm	535kg

Tube 100mm long

Male Fitting



Code	Diameter	Height	Capacity
SP0193	200mm	245mm	535kg

38mm diameter solid stem / 145mm long


Self Aligning Base Plate For Scaffold Tube



Spigot Stem		38mm Ball Retention Spring
Code	Height	6mm Base Plate
BM0186	83mm	Zinc Plated

Plastic Expanders


Round Expander

	Code	Dimensions
	V.Y55	18-20mm ID round
	V.Y60	21-23mm ID round
	V.Y65	24-27mm ID round
	V.Y70	28-31mm ID round

Square Expander

	Code	Dimensions
	V.Y80	18-20mm ID square
	V.Y85	21-23mm ID square
	V.Y90	24-27mm ID square
	V.Y95	28-31mm ID square

Bolt

	Code	
	E.K68	M10x60